




ISO BEARING-SINGAPORE (PTE)LTD.

KOYO HK0912 needle roller bearings



HK0912 Bearing 2D drawings and 3D CAD models

Bearing No. HK0912

Size	9x13x12 mm
Bore Diameter	9 mm
Outer Diameter	13 mm
Width	12 mm
Fw	9 mm
D	13 mm
C	12 mm
r5 min.	0.40 mm
Weight	0.005 Kg
Basic dynamic load rating (C)	5.65 kN
Basic static load rating (C0)	6.65 kN
(Grease) Lubrication Speed	19000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.005
EAN	0060579019935
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes



ISO BEARING-SINGAPORE (PTE)LTD.

Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	9MM Bore; 13MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; No
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	HK0912
Weight / LBS	0.011
Bore	0.354 Inch 9 Millimeter
Width	0.472 Inch 12 Millimeter
Outside Diameter	0.512 Inch 13 Millimeter
Bearing No.	HK0912
C3(min)	\
rs(min)	0.40
Cr	5.65
C0r	6.65
Cu	1.00
Grease lub.	19000



ISO BEARING-SINGAPORE (PTE)LTD.

Oil lub.	30000
(Refer.) Mass(kg)	0.005
Mounting inner ring	JR6x9x12